


## **Annex A.3 Unwanted Emission Intensity**

## 1. 802.11a\_20M\_Band1\_L

### 1.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	929	-48.01	-26	Pass	971
1000	5142	1	Peak	5142	-34.16	-26	Pass	4143
5266.7	12750	1	Peak	12566.993	-41.37	-26	Pass	7484
12750	26000	1	Peak	25031	-40.88	-26	Pass	13251



## 2. 802.11a\_20M\_Band1\_M

### 2.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	874	-48	-26	Pass	971
1000	5142	1	Peak	5134	-44.03	-26	Pass	4143
5266.7	12750	1	Peak	5269.7	-32.16	-26	Pass	7484
12750	26000	1	Peak	24608	-39.17	-26	Pass	13251



### 3. 802.11a\_20M\_Band1\_H

#### 3.1. A.3-Unwanted Emission Intensity(20M)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	943	-48.06	-26	Pass	971
1000	5142	1	Peak	3493	-45.11	-26	Pass	4143
5266.7	12750	1	Peak	5286.701	-32.44	-26	Pass	7484
12750	26000	1	Peak	25662	-40.24	-26	Pass	13251






## 5. 802.11n\_20M\_Band1\_M

### 5.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	478	-48.02	-26	Pass	971
1000	5142	1	Peak	5035	-44.52	-26	Pass	4143
5266.7	12750	1	Peak	5268.7	-33.04	-26	Pass	7484
12750	26000	1	Peak	25085	-40.32	-26	Pass	13251



## 6. 802.11n\_20M\_Band1\_H

### 6.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	827	-48.26	-26	Pass	971
1000	5142	1	Peak	5141	-44.19	-26	Pass	4143
5266.7	12750	1	Peak	5274.7	-30.03	-26	Pass	7484
12750	26000	1	Peak	25722	-40.17	-26	Pass	13251



## 7. 802.11ac\_20M\_Band1\_L

### 7.2. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	985	-48.2	-26	Pass	971
1000	5142	1	Peak	5142	-33.24	-26	Pass	4143
5266.7	12750	1	Peak	12746	-41.4	-26	Pass	7484
12750	26000	1	Peak	25666	-40.23	-26	Pass	13251



## 8. 802.11ac\_20M\_Band1\_M

### 8.2. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	768	-47.67	-26	Pass	971
1000	5142	1	Peak	5142	-42.67	-26	Pass	4143
5266.7	12750	1	Peak	5267.7	-32.76	-26	Pass	7484
12750	26000	1	Peak	25207	-39.95	-26	Pass	13251



## 9. 802.11ac\_20M\_Band1\_H

### 9.2. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	967	-48.13	-26	Pass	971
1000	5142	1	Peak	3019	-44.63	-26	Pass	4143
5266.7	12750	1	Peak	5267.7	-28.43	-26	Pass	7484
12750	26000	1	Peak	25574	-41.15	-26	Pass	13251



## 10. 802.11a\_20M\_Band2\_L

### 10.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	957	-48.03	-26	Pass	971
1000	5233.3	1	Peak	5223.299	-32.37	-26	Pass	4234
5350	12750	1	Peak	5350	-40.56	-26	Pass	7401
12750	26000	1	Peak	25036	-40.43	-26	Pass	13251



## 11. 802.11a\_20M\_Band2\_M

### 11.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	781	-48.17	-26	Pass	971
1000	5233.3	1	Peak	5229.3	-42.87	-26	Pass	4234
5350	12750	1	Peak	5360	-34.33	-26	Pass	7401
12750	26000	1	Peak	25591	-40.8	-26	Pass	13251



## 12. 802.11a\_20M\_Band2\_H

### 12.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	816	-48.05	-26	Pass	971
1000	5233.3	1	Peak	5230.3	-42.72	-26	Pass	4234
5350	12750	1	Peak	5353	-29.31	-26	Pass	7401
12750	26000	1	Peak	25769	-40.54	-26	Pass	13251



## 13. 802.11n\_20M\_Band2\_L

### 13.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	792	-48.2	-26	Pass	971
1000	5233.3	1	Peak	5232.3	-30.92	-26	Pass	4234
5350	12750	1	Peak	5350	-40.2	-26	Pass	7401
12750	26000	1	Peak	24640	-40.58	-26	Pass	13251



## 14. 802.11n\_20M\_Band2\_M

### 14.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	700	-47.48	-26	Pass	971
1000	5233.3	1	Peak	5229.3	-40.22	-26	Pass	4234
5350	12750	1	Peak	5377	-36.87	-26	Pass	7401
12750	26000	1	Peak	25668	-40.49	-26	Pass	13251



## 15. 802.11n\_20M\_Band2\_H

### 15.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	940	-47.96	-26	Pass	971
1000	5233.3	1	Peak	5233.3	-43.57	-26	Pass	4234
5350	12750	1	Peak	5352	-29.07	-26	Pass	7401
12750	26000	1	Peak	25574	-39.75	-26	Pass	13251



## 16. 802.11ac\_20M\_Band2\_L

### 16.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	901	-47.99	-26	Pass	971
1000	5233.3	1	Peak	5228.3	-30.99	-26	Pass	4234
5350	12750	1	Peak	5351	-40.08	-26	Pass	7401
12750	26000	1	Peak	25635	-39.24	-26	Pass	13251



## 17. 802.11ac\_20M\_Band2\_M

### 17.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	791	-47.98	-26	Pass	971
1000	5233.3	1	Peak	5227.3	-39.76	-26	Pass	4234
5350	12750	1	Peak	5351	-32.6	-26	Pass	7401
12750	26000	1	Peak	25019	-40.37	-26	Pass	13251



## 18. 802.11ac\_20M\_Band2\_H

### 18.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	762	-47.87	-26	Pass	971
1000	5233.3	1	Peak	5231.3	-42.52	-26	Pass	4234
5350	12750	1	Peak	5355	-30.19	-26	Pass	7401
12750	26000	1	Peak	25095	-39.82	-26	Pass	13251



## 19. 802.11a\_20M\_Band3\_L

### 19.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	883	-47.34	-26	Pass	971
1000	5460	1	Peak	5457	-38.29	-26	Pass	4461
5765	12750	1	Peak	12390	-40.7	-26	Pass	6986
12750	26000	1	Peak	25693	-40.6	-26	Pass	13251



## 20. 802.11a\_20M\_Band3\_M

### 20.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	851	-47.57	-26	Pass	971
1000	5460	1	Peak	5441	-43.51	-26	Pass	4461
5765	12750	1	Peak	12580	-40.84	-26	Pass	6986
12750	26000	1	Peak	25673	-40.5	-26	Pass	13251



## 21. 802.11a\_20M\_Band3\_H

### 21.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	783	-48.07	-26	Pass	971
1000	5460	1	Peak	5356	-44.33	-26	Pass	4461
5765	12750	1	Peak	5767	-35.45	-26	Pass	6986
12750	26000	1	Peak	24617	-40.49	-26	Pass	13251



## 22. 802.11n\_20M\_Band3\_L

### 22.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	927	-47.7	-26	Pass	971
1000	5460	1	Peak	5456	-34.8	-26	Pass	4461
5765	12750	1	Peak	12701	-41.79	-26	Pass	6986
12750	26000	1	Peak	25620	-40.48	-26	Pass	13251



## 23. 802.11n\_20M\_Band3\_M

### 23.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	799	-48.25	-26	Pass	971
1000	5460	1	Peak	5352	-44.43	-26	Pass	4461
5765	12750	1	Peak	12532	-40.82	-26	Pass	6986
12750	26000	1	Peak	25137	-40.9	-26	Pass	13251



## 24. 802.11n\_20M\_Band3\_H

### 24.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	516	-47.79	-26	Pass	971
1000	5460	1	Peak	2546	-44.26	-26	Pass	4461
5765	12750	1	Peak	5777	-37.47	-26	Pass	6986
12750	26000	1	Peak	24120	-41.05	-26	Pass	13251



## 25. 802.11ac\_20M\_Band3\_L

### 25.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	990	-48.13	-26	Pass	971
1000	5460	1	Peak	5459	-34	-26	Pass	4461
5765	12750	1	Peak	12588	-41.56	-26	Pass	6986
12750	26000	1	Peak	25575	-40.63	-26	Pass	13251



## 26. 802.11ac\_20M\_Band3\_M

### 26.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	737	-47.9	-26	Pass	971
1000	5460	1	Peak	5425	-43.78	-26	Pass	4461
5765	12750	1	Peak	12582	-41.74	-26	Pass	6986
12750	26000	1	Peak	25079	-40.34	-26	Pass	13251



## 27. 802.11ac\_20M\_Band3\_H

### 27.1. A.3-Unwanted Emission Intensity(20M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	787	-48.2	-26	Pass	971
1000	5460	1	Peak	3005	-44.93	-26	Pass	4461
5765	12750	1	Peak	5768	-34.67	-26	Pass	6986
12750	26000	1	Peak	25956	-40.18	-26	Pass	13251



## 1. 802.11n\_40M\_Band1\_L

### 1.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	967	-48.03	-26	Pass	971
1000	5141.6	1	Peak	5137.599	-35.85	-26	Pass	4142
5278.4	12750	1	Peak	12630.99	-41.41	-26	Pass	7472
12750	26000	1	Peak	25073	-40.22	-26	Pass	13251



## 2. 802.11n\_40M\_Band1\_H

### 2.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	821	-48.09	-26	Pass	971
1000	5141.6	1	Peak	5130.598	-42.16	-26	Pass	4142
5278.4	12750	1	Peak	5283.4	-34.4	-26	Pass	7472
12750	26000	1	Peak	25106	-40.75	-26	Pass	13251



### 3. 802.11ac\_40M\_Band1\_L

#### 3.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	854	-47.34	-26	Pass	971
1000	5141.6	1	Peak	5141.6	-36.95	-26	Pass	4142
5278.4	12750	1	Peak	5280.4	-39.48	-26	Pass	7472
12750	26000	1	Peak	25755	-40.39	-26	Pass	13251



## 4. 802.11ac\_40M\_Band1\_H

### 4.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	787	-48.12	-26	Pass	971
1000	5141.6	1	Peak	5140.6	-41.4	-26	Pass	4142
5278.4	12750	1	Peak	5280.4	-33.91	-26	Pass	7472
12750	26000	1	Peak	25665	-40.64	-26	Pass	13251



## 5. 802.11n\_40M\_Band2\_L

### 5.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	894	-47.87	-26	Pass	971
1000	5221.6	1	Peak	5221.6	-35.99	-26	Pass	4222
5358.4	12750	1	Peak	5360.4	-39.34	-26	Pass	7392
12750	26000	1	Peak	25727	-40.18	-26	Pass	13251



## 6. 802.11n\_40M\_Band2\_H

### 6.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	829	-48.23	-26	Pass	971
1000	5221.6	1	Peak	5214.599	-42.5	-26	Pass	4222
5358.4	12750	1	Peak	5358.4	-33.99	-26	Pass	7392
12750	26000	1	Peak	24607	-40.44	-26	Pass	13251



## 7. 802.11ac\_40M\_Band2\_L

### 7.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	829	-47.98	-26	Pass	971
1000	5221.6	1	Peak	5217.599	-36.48	-26	Pass	4222
5358.4	12750	1	Peak	5359.4	-38.46	-26	Pass	7392
12750	26000	1	Peak	25072	-40.55	-26	Pass	13251



## 8. 802.11ac\_40M\_Band2\_H

### 8.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	803	-48.08	-26	Pass	971
1000	5221.6	1	Peak	5217.599	-42.86	-26	Pass	4222
5358.4	12750	1	Peak	5358.4	-33.55	-26	Pass	7392
12750	26000	1	Peak	25178	-39.77	-26	Pass	13251



## 9. 802.11n\_40M\_Band3\_L

### 9.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	859	-48.01	-19	Pass	971
1000	5460	1	Peak	5454	-36.6	-19	Pass	4461
5770	12750	1	Peak	12416	-41.5	-19	Pass	6981
12750	26000	1	Peak	25103	-40.95	-19	Pass	13251



## 10. 802.11n\_40M\_Band3\_M

### 10.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	842	-47.53	-19	Pass	971
1000	5460	1	Peak	5434	-44.58	-19	Pass	4461
5770	12750	1	Peak	12682	-41.49	-19	Pass	6981
12750	26000	1	Peak	25015	-40.23	-19	Pass	13251



## 11. 802.11n\_40M\_Band3\_H

### 11.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	811	-48.23	-19	Pass	971
1000	5460	1	Peak	5449	-43.66	-19	Pass	4461
5770	12750	1	Peak	12488	-41.83	-19	Pass	6981
12750	26000	1	Peak	25709	-40.49	-19	Pass	13251



## 12. 802.11ac\_40M\_Band3\_L

### 12.2. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	816	-48.09	-19	Pass	971
1000	5460	1	Peak	5449	-36.68	-19	Pass	4461
5770	12750	1	Peak	12692	-41.75	-19	Pass	6981
12750	26000	1	Peak	25680	-39.43	-19	Pass	13251



### 13. 802.11ac\_40M\_Band3\_M

#### 13.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	908	-48.07	-19	Pass	971
1000	5460	1	Peak	5414	-44.23	-19	Pass	4461
5770	12750	1	Peak	12319	-41.72	-19	Pass	6981
12750	26000	1	Peak	24615	-40.38	-19	Pass	13251



## 14. 802.11ac\_40M\_Band3\_H

### 14.1. A.3-Unwanted Emission Intensity(40M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	914	-47.37	-19	Pass	971
1000	5460	1	Peak	5296	-43.92	-19	Pass	4461
5770	12750	1	Peak	12648	-41.12	-19	Pass	6981
12750	26000	1	Peak	25104	-40.07	-19	Pass	13251



## 1. 802.11ac\_80M\_Band1\_M

### 1.1. A.3-Unwanted Emission Intensity(80M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	808	-47.57	-26	Pass	971
1000	5123.2	1	Peak	5116.2	-37.6	-26	Pass	4124
5296.7	12750	1	Peak	5300.7	-38.68	-26	Pass	7454
12750	26000	1	Peak	25694	-40.55	-26	Pass	13251



## 2. 802.11ac\_80M\_Band2\_M

### 2.1. A.3-Unwanted Emission Intensity(80M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	802	-47.79	-26	Pass	971
1000	5203.3	1	Peak	5203.3	-39.83	-26	Pass	4204
5376.8	12750	1	Peak	5378.8	-37.4	-26	Pass	7374
12750	26000	1	Peak	25742	-40.44	-26	Pass	13251



### 3. 802.11ac\_80M\_Band3\_L

#### 3.1. A.3-Unwanted Emission Intensity(80M)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	838	-48.12	-19	Pass	971
1000	5460	1	Peak	5454	-36.06	-19	Pass	4461
5770	12750	1	Peak	12483	-41.71	-19	Pass	6981
12750	26000	1	Peak	24620	-40.65	-19	Pass	13251



## 4. 802.11ac\_80M\_Band3\_M

### 4.1. A.3-Unwanted Emission Intensity(80M)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	1	Peak	828	-48.27	-19	Pass	971
1000	5460	1	Peak	5438	-43.57	-19	Pass	4461
5770	12750	1	Peak	12573	-41.55	-19	Pass	6981
12750	26000	1	Peak	25619	-41.21	-19	Pass	13251



--BLANK BELOW--