

Annex A.6 Limit of secondary radiated emissions

1. 802.11a_20M_Band1_L

1.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	783.9	-72.08	-54	Pass	9701
1000	10000	1	Peak	6906	-55.78	-47	Pass	9001
10000	26000	1	Peak	25770	-50.38	-47	Pass	16001



2. 802.11a_20M_Band1_M

2.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	518.6	-71.24	-54	Pass	9701
1000	10000	1	Peak	6960	-55.43	-47	Pass	9001
10000	26000	1	Peak	25122	-50.51	-47	Pass	16001



3. 802.11a_20M_Band1_H

3.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	947.9	-72.77	-54	Pass	9701
1000	10000	1	Peak	6960	-55.84	-47	Pass	9001
10000	26000	1	Peak	24621	-51	-47	Pass	16001



4. 802.11n_20M_Band1_L

4.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	518.1	-72.96	-54	Pass	9701
1000	10000	1	Peak	6960	-56.11	-47	Pass	9001
10000	26000	1	Peak	24615	-50.14	-47	Pass	16001



5. 802.11n_20M_Band1_M

5.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	741.3	-72.56	-54	Pass	9701
1000	10000	1	Peak	6960	-54.78	-47	Pass	9001
10000	26000	1	Peak	25683	-50.98	-47	Pass	16001



6. 802.11n_20M_Band1_H

6.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	949.6	-72.97	-54	Pass	9701
1000	10000	1	Peak	6987	-56.51	-47	Pass	9001
10000	26000	1	Peak	21050	-51.09	-47	Pass	16001



7. 802.11n_40M_Band1_L

7.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	738.1	-72.44	-54	Pass	9701
1000	10000	1	Peak	6920	-55.69	-47	Pass	9001
10000	26000	1	Peak	25648	-50.3	-47	Pass	16001



8. 802.11n_40M_Band1_H

8.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	999.2	-72.87	-54	Pass	9701
1000	10000	1	Peak	6973	-56.65	-47	Pass	9001
10000	26000	1	Peak	25139	-51.04	-47	Pass	16001



9. 802.11ac_20M_Band1_L

9.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	961.8	-72.49	-54	Pass	9701
1000	10000	1	Peak	6907	-55.66	-47	Pass	9001
10000	26000	1	Peak	24616	-50.21	-47	Pass	16001



10. 802.11ac_20M_Band1_M

10.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	772.6	-72.78	-54	Pass	9701
1000	10000	1	Peak	6960	-55.75	-47	Pass	9001
10000	26000	1	Peak	25689	-51.09	-47	Pass	16001



11. 802.11ac_20M_Band1_H

11.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	957.6	-73.08	-54	Pass	9701
1000	10000	1	Peak	6987	-56.69	-47	Pass	9001
10000	26000	1	Peak	25609	-50.25	-47	Pass	16001



12. 802.11ac_40M_Band1_L

12.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	935.7	-72.5	-54	Pass	9701
1000	10000	1	Peak	6920	-55.72	-47	Pass	9001
10000	26000	1	Peak	25666	-50.46	-47	Pass	16001



13. 802.11ac_40M_Band1_H

13.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	954.1	-72.25	-54	Pass	9701
1000	10000	1	Peak	6973	-55.6	-47	Pass	9001
10000	26000	1	Peak	25051	-51.19	-47	Pass	16001



14. 802.11ac_80M_Band1_M

14.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	944.9	-72.95	-54	Pass	9701
1000	10000	1	Peak	6974	-56.52	-47	Pass	9001
10000	26000	1	Peak	25118	-50.83	-47	Pass	16001



15. 802.11a_20M_Band2_L

15.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	399.8	-71.9	-54	Pass	9701
1000	10000	1	Peak	6974	-56.48	-47	Pass	9001
10000	26000	1	Peak	25123	-51.42	-47	Pass	16001



16. 802.11a_20M_Band2_M

16.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	896.6	-73.16	-54	Pass	9701
1000	10000	1	Peak	6973	-56.81	-47	Pass	9001
10000	26000	1	Peak	24611	-51.29	-47	Pass	16001



17. 802.11a_20M_Band2_H

17.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	874.8	-72.84	-54	Pass	9701
1000	10000	1	Peak	6974	-56.36	-47	Pass	9001
10000	26000	1	Peak	25645	-50.7	-47	Pass	16001



18. 802.11n_20M_Band2_L

18.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	640	-72.44	-54	Pass	9701
1000	10000	1	Peak	6973	-55.55	-47	Pass	9001
10000	26000	1	Peak	25753	-50.52	-47	Pass	16001



19. 802.11n_20M_Band2_M

19.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	745	-71.92	-54	Pass	9701
1000	10000	1	Peak	7027	-56.13	-47	Pass	9001
10000	26000	1	Peak	25109	-50.71	-47	Pass	16001



20. 802.11n_20M_Band2_H

20.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	898.9	-72.45	-54	Pass	9701
1000	10000	1	Peak	7026	-56.85	-47	Pass	9001
10000	26000	1	Peak	25631	-50.87	-47	Pass	16001



21. 802.11n_40M_Band2_L

21.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	951.6	-73.27	-54	Pass	9701
1000	10000	1	Peak	7026	-56.15	-47	Pass	9001
10000	26000	1	Peak	24598	-50.52	-47	Pass	16001



22. 802.11n_40M_Band2_H

22.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	827.4	-72.27	-54	Pass	9701
1000	10000	1	Peak	7027	-56.14	-47	Pass	9001
10000	26000	1	Peak	24617	-50.34	-47	Pass	16001



23. 802.11ac_20M_Band2_L

23.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	765.5	-72.71	-54	Pass	9701
1000	10000	1	Peak	6087	-58.79	-47	Pass	9001
10000	26000	1	Peak	25004	-50.64	-47	Pass	16001



24. 802.11ac_20M_Band2_M

24.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	444.1	-72.7	-54	Pass	9701
1000	10000	1	Peak	7026	-57.1	-47	Pass	9001
10000	26000	1	Peak	24973	-50.95	-47	Pass	16001



25. 802.11ac_20M_Band2_H

25.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	929.7	-72.08	-54	Pass	9701
1000	10000	1	Peak	7027	-57.04	-47	Pass	9001
10000	26000	1	Peak	25151	-50.5	-47	Pass	16001



26. 802.11ac_40M_Band2_L

26.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	978.1	-72.26	-54	Pass	9701
1000	10000	1	Peak	7053	-55.98	-47	Pass	9001
10000	26000	1	Peak	25707	-50.13	-47	Pass	16001



27. 802.11ac_40M_Band2_H

27.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	766	-72.3	-54	Pass	9701
1000	10000	1	Peak	7053	-56.74	-47	Pass	9001
10000	26000	1	Peak	25103	-50.43	-47	Pass	16001



28. 802.11ac_80M_Band2_M

28.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	928.4	-72.09	-54	Pass	9701
1000	10000	1	Peak	7053	-57.58	-47	Pass	9001
10000	26000	1	Peak	25602	-51.25	-47	Pass	16001



29. 802.11a_20M_Band3_L

29.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	778.3	-73.01	-54	Pass	9701
1000	10000	1	Peak	7053	-56.7	-47	Pass	9001
10000	26000	1	Peak	25730	-50.73	-47	Pass	16001



30. 802.11a_20M_Band3_M

30.4. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	996.3	-72.34	-54	Pass	9701
1000	10000	1	Peak	7674	-57.85	-47	Pass	9001
10000	26000	1	Peak	25613	-50.75	-47	Pass	16001



31. 802.11a_20M_Band3_H

31.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	792	-71.91	-54	Pass	9701
1000	10000	1	Peak	7402	-57.98	-47	Pass	9001
10000	26000	1	Peak	25081	-50.75	-47	Pass	16001



32. 802.11n_20M_Band3_L

32.4. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	819.3	-72.46	-54	Pass	9701
1000	10000	1	Peak	5892	-57.63	-47	Pass	9001
10000	26000	1	Peak	24044	-50.53	-47	Pass	16001



33. 802.11n_20M_Band3_M

33.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	827.9	-71.2	-54	Pass	9701
1000	10000	1	Peak	9486	-58.22	-47	Pass	9001
10000	26000	1	Peak	25104	-50.73	-47	Pass	16001



34. 802.11n_20M_Band3_H

34.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	956.6	-71.89	-54	Pass	9701
1000	10000	1	Peak	5368	-58.13	-47	Pass	9001
10000	26000	1	Peak	25045	-50.71	-47	Pass	16001



35. 802.11n_40M_Band3_L

35.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	802.9	-72.88	-54	Pass	9701
1000	10000	1	Peak	9425	-58.56	-47	Pass	9001
10000	26000	1	Peak	25097	-50.59	-47	Pass	16001



36. 802.11n_40M_Band3_M

36.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	832.6	-71.73	-54	Pass	9701
1000	10000	1	Peak	8843	-58.14	-47	Pass	9001
10000	26000	1	Peak	25114	-51.26	-47	Pass	16001



37. 802.11n_40M_Band3_H

37.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	907.9	-72.72	-54	Pass	9701
1000	10000	1	Peak	7846	-58.11	-47	Pass	9001
10000	26000	1	Peak	25050	-50.74	-47	Pass	16001



38. 802.11ac_20M_Band3_L

38.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.9	-72.68	-54	Pass	9701
1000	10000	1	Peak	5810	-57.64	-47	Pass	9001
10000	26000	1	Peak	25624	-51.3	-47	Pass	16001



39. 802.11ac_20M_Band3_M

39.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	791	-72.42	-54	Pass	9701
1000	10000	1	Peak	5925	-57.99	-47	Pass	9001
10000	26000	1	Peak	25038	-50.27	-47	Pass	16001



40. 802.11ac_20M_Band3_H

40.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	795.7	-72.76	-54	Pass	9701
1000	10000	1	Peak	9749	-57.84	-47	Pass	9001
10000	26000	1	Peak	25761	-51.04	-47	Pass	16001



41. 802.11ac_40M_Band3_L

41.4. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	427.2	-72.56	-54	Pass	9701
1000	10000	1	Peak	5945	-57.93	-47	Pass	9001
10000	26000	1	Peak	25636	-50.99	-47	Pass	16001



42. 802.11ac_40M_Band3_M

42.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	850.7	-72.51	-54	Pass	9701
1000	10000	1	Peak	8292	-58.29	-47	Pass	9001
10000	26000	1	Peak	25055	-50.83	-47	Pass	16001



43. 802.11ac_40M_Band3_H

43.3. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	352.7	-72.77	-54	Pass	9701
1000	10000	1	Peak	5783	-58.27	-47	Pass	9001
10000	26000	1	Peak	25064	-50.51	-47	Pass	16001



44. 802.11ac_80M_Band3_L

44.2. A.4-Limit of secondary radiated emissions(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	958.1	-71.98	-54	Pass	9701
1000	10000	1	Peak	9437	-58.38	-47	Pass	9001
10000	26000	1	Peak	25656	-50.85	-47	Pass	16001



45. 802.11ac_80M_Band3_M

45.2. A.4-Limit of secondary radiated emissions(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	954.1	-72.41	-54	Pass	9701
1000	10000	1	Peak	9835	-57.73	-47	Pass	9001
10000	26000	1	Peak	25055	-50.99	-47	Pass	16001



--BLANK BELOW--