




Frequency tolerance
Low Freq
Normal 922599967



High 922599971



Low 922599969




Antenna Power

Low Freq

Declared -8.00 0.1585 mW

Normal -8.20 0.1513 mW

-4.54 %




| Readings | |
|-------------|--------------|
| Measure | PUN |
| Points | 500 |
| View | NORM |
| Time Gate | |
| 1 | 85.004 ms |
| 2 | 15.076 ms |
| Δ | 69.928 ms |
| Gated Meas. | |
| Av | -8.20 dBm |
| Pk | -7.98 dBm |
| Δ | 0.25 dB |
| Mkr 1 | to 2 |
| | Invalid data |

High

-8.21 0.1510 mW

-4.73 %




| Readings | |
|-------------|--------------|
| Measure | PUN |
| Points | 500 |
| View | NORM |
| Time Gate | |
| 1 | 85.004 ms |
| 2 | 15.076 ms |
| Δ | 69.928 ms |
| Gated Meas. | |
| Av | -8.21 dBm |
| Pk | -7.98 dBm |
| Δ | 0.22 dB |
| Mkr 1 | to 2 |
| | Invalid data |

Low

-8.19 0.1517 mW

-4.29 %




| Readings | |
|-------------|--------------|
| Measure | PUN |
| Points | 500 |
| View | NORM |
| Time Gate | |
| 1 | 85.004 ms |
| 2 | 15.076 ms |
| Δ | 69.928 ms |
| Gated Meas. | |
| Av | -8.19 dBm |
| Pk | -7.97 dBm |
| Δ | 0.22 dB |
| Mkr 1 | to 2 |
| | Invalid data |


Occupied Bandwidth

Low Freq

Normal 151.848




High 151.349



Low 151.848




Normal




Adjacent Channel Leakage Power

Low Freq


Normal




High




Low




Transmission Time Restriction
Low Freq
Normal Duty




Ontime(Hop)




No. Hop



Period



Pause time



Overtime(Hop)(ms)

3.35

No. Hop

2

Transmission time(S)

0.0067

Period(S) Period/hour(No. Hop)

1.0367

3473

Total Transmission time(S)

23.266

Pause time(S)

0.701